No. of Printed Pages: 7

Sl. No.

#### **Question Booklet Code**



## 21CSC1S1LP

# M.Sc. I Semester Degree Examination, April/May - 2023 Skill Enhancement Courses (SEC) COMPUTER SCIENCE

### Web Technologies

Time: 1 Hour Maximum Marks: 30

#### INSTRUCTIONS TO CANDIDATES

- 1. The Question Paper will be given in the form of a Question Booklet. There will be four/two/one versions of Question Booklets with Question Booklet Code viz. **A**, **B**, **C** & **D** / **A** & **B** / **A**.
- 2. The Question Booklet Serial Number is printed on the top right margin of the facing sheet. If your Question Booklet is un-numbered, please get it replaced by new Question Booklet with same Code.
- 3. Immediately after the commencement of the examination, the candidate should check that the Question Booklet supplied to him contains all the 30 questions in serial order. The Question Booklet does not have unprinted or torn or missing pages and if so he/she should bring it to the notice of the Invigilator and get it replaced by a complete booklet with same Code. This is most important.
- 4. A blank sheet of paper is attached to the Question Booklet. This may be used for Rough Work.
- 5. Please read carefully all the instructions on the top of the Answer Sheet before marking your answers.
- 6. Each question is provided with four choices (A), (B), (C) and (D) having one correct answer. Choose the correct answer and darken the bubble corresponding to the question number using **Black Ball-Point Pen** in the OMR Answer Sheet.
- 7. No candidate will be allowed to leave the examination hall till the end of the session and without handing over his/her Answer Sheet to the Invigilator.
- 8. Strict compliance of instructions is essential. Any malpractice or attempt to commit any kind of malpractice in the Examination will result in the disqualification of the candidate.
- 9. First fifteen minutes is provided to fill the general information of the Student. Eg. Student Name, Student ID, etc. in the OMR Answer Sheet.
- 10. Without the instruction of the Invigilator do not open the Question Paper Booklet Seal.

1.	The web standard allows programmers on many different computer platfor disperse format and display the information server. These programs are call					
	(A)	Web Browsers	(B)	HTML		
	(C)	Internet Explorer	(D)	None of these		
2.	Whi	ch of the following CSS propert	y is ı	used to add shadows to the text ?		
	(A)	text-shadow	(B)	text-stroke		
	(C)	text-overflow	(D)	text-decoration		
3.		ch property does one use to aligascading Style Sheets?	gn tez	xt to the right side of a block-level element		
	(A)	Horizontal-align	(B)	Align		
	(C)	Block-align	(D)	Text-align		
4. Which of the following CSS property specifies the origin of the back image ?						
	(A)	background-origin				
	(B)	background-attachment				
	(C)	background-size				
	(D)	None of the above				
5.	Which of the following CSS framework is used to create a responsive design?					
	(A)	django	(B)	rails		
	(C)	larawell	(D)	bootstrap		
6.				t, in your JavaScript application, which es to users requesting for text input?		
	(A)	Display()	(B)	Prompt()		
	(C)	Alert()	(D)	GetInput()		
A						

7.	Which of the following property is used as the shorthand property for the properties ?									
	(A)	padding-left	(B)	padding-right						
	(C)	padding	(D)	All of the above						
8.	The	e latest HTML standard is :								
	(A)	XML	(B)	SGML						
	(C)	HTML 4.0	(D)	HTML 5.0						
9.	The	CSS property used to control t	the el	lement's font-size is :						
	(A)	text-style	(B)	text-size						
	(C)	font-size	(D)	None of the above						
10.	Which of the following is the correct syntax to make the background-color of all paragraph elements to yellow?									
	(A)	A) p {background-color : yellow;}								
	(B)	B) p {background-color : #yellow;}								
	(C)	c) all {background-color : yellow;}								
	(D) all p {background-color : #yellow;}									
11.	HTML tags are enclosed in :									
	(A)	# and #	(B)	{ and }						
	(C)	! and ?	(D)	< and >						
12.	Wha	t is the correct HTML for addin	ıg a b	packground color ?						
	(A)	<background>yellow<backgro< td=""><td>und&gt;</td><td></td></backgro<></background>	und>							
	(B) <body color="yellow"></body>									

(D) <body bg="yellow">

(C) <body bg color="yellow">

13.	Web pages start with which of the following tag?						
	(A)	<body></body>	(B)	<title>&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;(C)&lt;/th&gt;&lt;th&gt;&lt;HTML&gt;&lt;/th&gt;&lt;th&gt;(D)&lt;/th&gt;&lt;th&gt;&lt;Form&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;14.&lt;/td&gt;&lt;td&gt;In H&lt;/td&gt;&lt;td&gt;ITML5, which of the following t&lt;/td&gt;&lt;td&gt;tag is&lt;/td&gt;&lt;td&gt;used to initialize the document type?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(A)&lt;/td&gt;&lt;td&gt;&lt;Doctype HTML&gt;&lt;/td&gt;&lt;td&gt;(B)&lt;/td&gt;&lt;td&gt;&lt;\Doctype html&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(C)&lt;/td&gt;&lt;td&gt;&lt;Doctype&gt;&lt;/td&gt;&lt;td&gt;(D)&lt;/td&gt;&lt;td&gt;&lt;!DOCTYPE html&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;15.&lt;/td&gt;&lt;td&gt;Corr&lt;/td&gt;&lt;td&gt;rect HTML to left align the con&lt;/td&gt;&lt;td&gt;tent :&lt;/td&gt;&lt;td&gt;inside a table cell is :&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(A)&lt;/td&gt;&lt;td&gt;&lt;tdleft&gt;.&lt;/td&gt;&lt;td&gt;(B)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(C)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(D)&lt;/td&gt;&lt;td&gt;&lt;tdleftalign&gt;.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;16.&lt;/td&gt;&lt;td colspan=9&gt;Which of the following tag is used to embed css in html page?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(A)&lt;/td&gt;&lt;td&gt;&lt;css&gt;&lt;/td&gt;&lt;td&gt;(B)&lt;/td&gt;&lt;td&gt;&lt;!DOCTYPE html&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(C)&lt;/td&gt;&lt;td&gt;&lt;script&gt;&lt;/td&gt;&lt;td&gt;(D)&lt;/td&gt;&lt;td&gt;&lt;style&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;17.&lt;/td&gt;&lt;td colspan=8&gt;In the JavaScript, which one of the following is not considered as an error :&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(A)&lt;/td&gt;&lt;td&gt;Syntax error&lt;/td&gt;&lt;td&gt;(B)&lt;/td&gt;&lt;td&gt;Missing of semicolons&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(C)&lt;/td&gt;&lt;td&gt;Division by zero&lt;/td&gt;&lt;td&gt;(D)&lt;/td&gt;&lt;td&gt;Missing of Bracket&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;18.&lt;/td&gt;&lt;td&gt;The&lt;/td&gt;&lt;td&gt;CSS property used to draw a&lt;/td&gt;&lt;td&gt;line a&lt;/td&gt;&lt;td&gt;around the elements outside the border :&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(A)&lt;/td&gt;&lt;td&gt;border&lt;/td&gt;&lt;td&gt;(B)&lt;/td&gt;&lt;td&gt;outline&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(C)&lt;/td&gt;&lt;td&gt;padding&lt;/td&gt;&lt;td&gt;(D)&lt;/td&gt;&lt;td&gt;line&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;19.&lt;/td&gt;&lt;td colspan=8&gt;From which tag the descriptive list starts?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(A)&lt;/td&gt;&lt;td&gt;&lt;LL&gt;&lt;/td&gt;&lt;td&gt;(B)&lt;/td&gt;&lt;td&gt;&lt;DD&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(C)&lt;/td&gt;&lt;td&gt;&lt;DL&gt;&lt;/td&gt;&lt;td&gt;(D)&lt;/td&gt;&lt;td&gt;&lt;DS&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;A&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title>			

20. What are the types of unordered or bulleted list in HTML?

(A) disc, square, triangle

(B) polygon, triangle, circle

	(C)	disc, circle, square			
	(D)	All of the above			
21.	A pr	ogram in HTML can be rendere	ed an	d read by :	
	(A)	Web browser	(B)	Server	
	(C)	Interpreter	(D)	None of the above	
22.	Whi	ch one of the following is the o	orrec	et way for calling the JavaScript code?	
	(A)	Preprocessor	(B)	Triggering Event	
	(C)	RMI	(D)	Function/Method	
00		4	·	TNAL O	
23.		to insert a background image		IML ?	
	(A)	  dy background="img.png":			
	(B)	<pre><img background="img.png"/></pre>			
	(C)	  bg-image="img.png">			
	(D)	None of the above			
24.	Whic	y to start an ordered list with the count o	of		
	(A)	<ol><li>type="1" initial="4"&gt;</li></ol>			
	(B)	<ol> <li>type="1" begin="4"&gt;</li> </ol>			
	(C)	<ol> <li>type="1" num="4"&gt;</li> </ol>			
	(D)	<ol> <li>type="1" start="4"&gt;</li> </ol>			
25.	Whi	ch type of JavaScript language	is		
	(A)	Object-Oriented	(B)	Object-Based	
	, ,	-	` ,	·	
	(C)	Assembly-language	(D)	High-level	
A					P.T.O.

26.	The CSS	property	used to	specify	the	transparency	of	an elen	nent is	<b>:</b>
		P-0P0-0)	<b>DED OF CO</b>	~ p ~ ~		01 001 0 1 0 1 0 J	-			

(A) opacity

(B) filter

(C) visibility

(D) overlay

27. Which of the following tag is used to make the underlined text?

(A) < i >

(B)

(C) < u >

(D)

28. How to create a checkbox in HTML?

(A) <input type="checkbox">

(B) <input type="button">

(C) <checkbox>

(D) <input type="check">

29. What will be the output of the following CSS code snippet?

h1 {color : "green";}

(A) nothings happen

(B) error occurs

(C) heading becomes dark-green

(D) heading becomes green

**30.** Which of the following is the correct syntax to display the hyperlinks without any underline?

(A) a {text-decoration : underline;}

(B) a {decoration : no-underline;}

(C) a {text-decoration : none;}

(D) None of the above

#### SPACE FOR ROUGH WORK