

VIJAYANAGARA SRI KRISHNADEVARAYA UNIVERSITY, BELLARY.
[ENGINEERING DEPARTMENT]



NO. VSKUB/ENGG/ Quo/D. S E/2024-25/ 38

Date: 19-04-2025

QUOTATION

Sealed quotations subscribing the name of work CONSTRUCTION MS STAGE EXTENTION IN DR.B R AMBEDKAR HALL, PROVIDING FIXING STEEL DOOR, CONSTRUCTION OF RAMP AND STEPS PLATFORM(REAR SIDE), WINDOW CURTAIN WITH RODS AND SEWAGE LINE SYSTEM AT TUNGA GIRLS HOSTEL IN THE PREMISIS OF VSK UNIVERSITY BALLARI TALUK, BALLARI DISTRICT.. So as to reach this office on or before 28.04.2025 and quotation should be addressed to Registrar, V.S.K. University, Vinayaknagar, Cantonment, Ballari.

NAME OF WORK:- CONSTRUCTION MS STAGE EXTENTION IN DR.B R AMBEDKAR HALL, PROVIDING FIXING STEEL DOOR, CONSTRUCTION OF RAMP AND STEPS PLATFORM(REAR SIDE), WINDOW CURTAIN WITH RODS AND SEWAGE LINE SYSTEM AT TUNGA GIRLS HOSTEL IN THE PREMISIS OF VSK UNIVERSITY BALLARI TALUK, BALLARI DISTRICT.

Sl.No	Name of materials / Items	Unit	Qty	Rate quoted per unit (In Rs.)	
				In words	In figures
I	II	III	IV	V	VI
1.	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material to the appropriate disposal area as per direction of Engineer-in-charge. In cement mortar	M ³	0.55		
2.	Earth work in surface excavation by mechanical means for lowering & levelling the ground for all works other than foundation in all kinds of soils & up to depth not exceeding 300mm as per drawing and technical specifications, including setting out, shoring, strutting, barricading, caution lights, removal of stumps and other deleterious matter including dressing of excavated surfaces, disposing off or levelling the excavated earth or sorting & stacking the selected earth for reuse in a radius of 50 m and lift upto 1.5 m including cost of labour, tools, usage of machinery & other appurtenances required to complete the work.	M ³	3.6		
3.	Construction of Embankment by excavating the available approved Gravel/Murum deposited at a place or borrow pits during or prior excavation with all lifts and lead, transportation to site, spreading, grading to required slope and compacting to meet the requirement complete as per specifications, including cost of labour, rolling, water, all materials, usage& all other appurtenances required to complete the work..	M ³	8.07		

4.	Providing and laying in position plain cement concrete for levelling course for all works in foundation. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150 mm thickness, well compacted using plate vibrators, including all lead & lifts, cost of all materials of quality, labour, Usage charges of machineries, curing, and all the other appurtenances required to complete the work as per technical specifications. (The cost of steel reinforcement & formwork shall be paid separately) Mix 1:4:8 Using 40 mm nominal size graded crushed coarse aggregates	M ³	0.49		
5.	Providing and laying in position plain cement concrete for levelling course for all works in foundation. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150 mm thickness, well compacted using plate vibrators, including all lead & lifts, cost of all materials of quality, labour, Usage charges of machineries, curing, and all the other appurtenances required to complete the work as per technical specifications. (The cost of steel reinforcement & formwork shall be paid separately) Mix 1:3:6 Using 20 mm nominal size graded crushed coarse aggregates	M ³	0.75		
6.	Providing and constructing load bearing wall with Solid Concrete blocks of size 400x150x200mm having block density more than 1800kg/m ³ and minimum compressive strength of 4.00 N/mm ² conforming to IS 2185 (Part - I) - 2005 and constructed with CM 1:4 as per IS 2572:2005 including cost of all materials, labour, scaffolding and curing, usage charges of machinery etc complete as per specifications.	M ³	10.74		
7.	Providing 15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand) including rounding off corners wherever required smooth rendering, providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications and as per directions of Engineer-in-charge.	M ²	20.03		
8.	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using M.S. angles 40x40x6 mm for diagonal braces including cost of materials, labour, usage charges of machinery complete as per specifications and as per directions of the Engineer-in-Charge.	M ²	2.44		
9.	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two coat applied @ 0.90L/10 m ² over an under coat of primer applied @ 0.80 L/10 m ² of approved brand and manufacture including preparing the surface after thoroughly cleaning oil, grease, dirt and foreign matter, cost of materials, labour complete as per specifications and as per directions of Engineer-in-charge	M ²	20.19		

10.	Providing and fixing flush door shutter made out of solid core block board type, well seasoned , chemically treated hard wood battens and internal frame with minimum 45 mm wide wooden frame alround door shutters covered with cross bonded wooden sheets (core veneer) hot pressed and fastened on both sides of the door using liquid phenol formaldehyde resin as per IS specifications 2202 (part-I) 1991. from manufacturer complete as per specification. -do- 30 mm thick Both side teak	M ²	2.15		
11.	Providing and fixing chromium plated brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	Nos	1.00		
12.	Providing and fixing bright finished brass butt hinges with necessary screws etc. complete : 125x85x5.5 mm (heavy type)	Nos	4.00		
13.	Providing and fixing Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished seamless type tubes including cost of materials, labour, usage charges of machinery complete as per specifications and as per directions of the Engineer-in-Charge.	Kg	591.09		
14.	Providing and supplying cupboard shutter with 18mm thick one side Architect recommended decorative laminate (1mm thick) and other side balancing lamination(preferably white) HDHMR boARD of approved brand complete as per direction of engineer in-charge.(Payment of providing and fixing auto closing hinges shall be paid separately)	M ²	31.11		
15.	Labour & installation charges for BWP ply:BWR ply:HDHMR: MDF & Particle board work of any thickness applicable for all types of work	M ²	31.11		
16.	Providing and laying linoleum plain flooring or coloured 3.2mm thick sheet / tiles laid with an approved adhesive on sub floor stretching, cutting and fixing complete , including cost of materials, labour, complete as per specifications.	M ²	17.34		
17.	Constructing brick masonry chamber of internal dimension 600x600mm and depth of 600mm (inner dimensions) with modular bricks of CD 75 in cement mortar 1:6, bed concrete 150mm thick with 1:3:6, plastering 12 mm thick with cement mortar 1:4, CC 1:2:4 coping 75mm thk for fixing CI cover & frame etc. excluding the cost of CI frame and cover..	Nos	1.00		
18.	Providing and fixing Sewer (SWR) pipes, including all fittings, This includes jointing of pipes & fittings with one step solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 110mm nominal dia pipes	M	16.50		
19.	Providing and fixing Sewer (SWR) pipes, including all fittings, This includes jointing of pipes & fittings with one step solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in,Charge. 150mm nominal dia pipes	M	5.00		

20.	Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. 20 mm diameter.	M	4.20		
21.	Providing & fixing 100% Polyester Curtains with specification of regular wash as per direction of Engineer in charge	M ²	5.40		
22.	Providing and fixing Pillar cock with high neck with 265mm Extended body made of Stainless steel with all concealed fitting arrangements & all necessary accessories complete - Class Economy	Nos	1.00		
23.	Providing and fixing controlled flush, low level cistern made of vitreous china with all fittings complete. 10 litre (full flush) capacity-white	Nos	1.00		
	GST Extra				

I have read the terms and conditions for the above work and I shall abide by the same.

REGISTRAR

V.S.K.UNIVERSITY, BALLARI-583105.

TERMS & CONDITIONS:

1. The rates quoted should be exclusive of GST
2. The right to reject the quotation is vested with University authorities.
3. The quoted rates should be valid at least for 03 months.
4. EMD 2.5% will be deducted in the Bill.

Copy:

- 1) The Director, ICT Department, VSK University, Ballari-583105 for necessary action to upload the quotation in university website for 07 days or up to last date.
- 2) Notice Board.